

INSTALLATION INSTRUCTIONS

Decorative Wall Bar

Part #'s: 8524, 8628, 8636

JACLO®

Confidence from start to finish.®



8524-




8636-



8628-

PARTS



	COMPONENT PARTS	QTY.
1	TEMPLATE	1
2	WALL BAR	1
3	SLIDER	1
4	POST	2
5	BACK POST	2
6	MOUNTING BRACKET	2
7	PLASTIC ANCHOR	4
8	SCREW	4

PART NUMBER	LENGTH OF A
8524-	26"
8628-	26"
8636-	35 3/8"

INSTALLATION

1. Place template **(1)** in desired location. Knock out the center circles in upper and lower bracket drawing.
2. Using level, mark the two center holes on tile/wall.
3. Drill 1/4" holes in desired locations for mounting brackets **(6)** and insert plastic anchors **(7)**.
4. Remove back posts **(5)** from wall bar and while keeping mounting bracket **(6)** in place, screw into anchors (hand tighten, NO POWER DRILLS/DRIVERS)
5. Place wall bar **(2)**, slider **(3)** & posts **(4)** into position (holder should be on left side of bar) and screw back post **(5)** onto post **(4)** by turning clockwise onto bar.

****NOTE: Wall bar will sit about 1/16" from wall for mounting and demounting. DO NOT CHAULK BEHIND BACK POST AS THAT WILL PREVENT IT FROM TURNING.****

To learn more about JACLO's warranty, please visit [**jaclo.com**](http://jaclo.com)