


INSTALLATION INSTRUCTIONS


Chromatherapy CIRCOLARE & QUADRATO Dream Lights
Part #'s: 8R-DLCT-, 88-DLCT-

JACLO®
Confidence from start to finish.®

FLAT *LIGHT* RGB




CIRCOLARE
8R-DLCT-



QUADRATO
88-DLCT-

PARTS



COMPONENT PARTS

1	Stainless steel shower head
2	LED
3	IP66 / IP67 electronic board
4	Seal
5	Recessed enclosure
6	Control keypad with 10ft cable (other lengths available on request)
7	Connector with fuse
8	7V connection cable - 16 1/2ft long (other lengths available on request)
9	Power supply unit
10	Flexible hose 3 1/4ft $\frac{1}{2}$ " F x $\frac{1}{2}$ " F
11	False-ceiling plugs
12	Screws
13	Template
14	Adaptor connection $\frac{1}{2}$ " M x $\frac{1}{2}$ " M
15	Hex key with grub screws
16	Chrome plate

ELECTRICAL EQUIPMENT *Technical specifications*

Electric connection

110VAC ~ 50/60 Hz - max 20w
class of protection II

Electric cable
(supplied by customer)



External cable diameter: max 0.33 in

Oki-Cube Lights

04 low voltage LEDs


Safety Transformer

120V ≈ 7V = 50/60 Hz to be installed outside the safety area (in compliance with standard DIN VDE 0100, part 107 – according to prescription CEI 64/8)



Grade of protection



Safety mark


The electrical systems must be carried out by a qualified technician in accordance with the national and international laws in force. If no commands are sent to the system, a time-out function automatically shuts the system off after approx. 30 minutes.





INSTALLATION




























CONTROL KEYPAD OPERATION



**IN CASE OF LEDs NON-FUNCTIONING CHECK
THE INSTALLATION AND REPLACE THE FUSES
AS ILLUSTRATED**



B**C**

F1: Ø0.2 x 0.79in 1A 110VAC
F2: Ø0.2 x 0.79in 3,15A 7V

To learn more about JACLO's warranty, please visit **jaclo.com**